

POLYCAB
LIGHTING



From
India's No. 1
Wires & Cables Company*

**A Bright, Beautiful
Connection**

Consumer Lighting Catalogue Edition **2026 - 27**

SHAPING SPACES WITH LIGHTING



About Polycab

Page No.
03



Lighting, the Polycab Way

Page No.
05



How to Choose Lights

Page No.
07



Lighting Terms

Page No.
09



The Right Lumens

Page No.
13



Environmental Benefits

Page No.
14




LED Panels & Downlights

Page No.
15



LED COB & Spot Lights

Page No.
49



LED Strip Lights

Page No.
79



LED Outdoor Lights

Page No.
87



LED Batten

Page No.
111



LED Bulbs

Page No.
121



Professional Lights

Page No.
137



Polycab Universe

Page No.
149



ABOUT POLYCAB

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of ₹ 285+ Bn in FY26. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of 3,900+ authorized dealers and 190,000+ retail outlets.

PIL's business operations span across India through 26 manufacturing facilities, 15 offices and 35 warehouses. PIL has also served customers in 94 countries globally. PIL's 4,500+ employees are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness.

No. 1

Manufacturer of cables
and wires in India

26

State-of-the-art
manufacturing facilities

Manufacturing Capacity

6 million km of cables
9 million fans

24 million switchgears
10 million switches

Halol
Experience Centre



550+ Service Centres
across India



World Class Design &
Development Centre



Export Presence
in 90+ Countries



NABL ISO 17025
Certified R&D Centre



In-house Software &
Hardware Development
Centre



Lighting, the **Polycab Way**

Polycab Lighting builds a bright, beautiful connection between modern design and state-of-the-art LED technology. Our lighting solutions are crafted to elevate every space, from creating warm, inviting ambiances at home to delivering precision lighting in offices and industrial spaces. With sleek aesthetics and superior brightness, we bring both style and functionality to life.

Choose Polycab Lighting to illuminate your surroundings with elegance, efficiency, and a promise of enduring brilliance, because every space deserves to shine brighter.

Product Quality

- a. In-house product testing via two fully equipped, NABL approved electronics R&D laboratories
- b. Highly experienced R&D personnel with expertise in lighting electronics for local, US/European and military-grade specifications
- c. Kaizen & TQM methodologies are implemented for production process enhancement

Innovation Focus

- a. Robust R&D initiatives to drive product innovation
- b. Development of electronically advanced LED Lights with high end technology
- c. Emphasis on designing decorative LED Lights with superior aesthetic appeal

Customer Service

Unwavering commitment to delivering superior customer service through our large footprint of 550+ service centres and quick resolution

Manufacturing & Availability

- a. India's pioneering manufacturing facility, is revolutionizing domestic production. Leveraging cutting-edge technology and deep expertise, our plant ensures the highest quality standards.
- b. Our state-of-the-art facility is equipped with advanced injection moulding machines, SMT lines, and assembly lines featuring automatic optical inspection—marking a significant milestone in India's industrial growth.
- c. The efficiency and eco-friendliness of our manufacturing technology are truly remarkable, representing a major step towards a more sustainable future.



Research & Development Initiatives

ROHS & Environment Sustainability

By embracing RoHS compliance, we demonstrate our dedication to sustainable manufacturing, reducing our environmental footprint and advancing towards our goal of achieving "NET - ZERO CERTIFICATION".

Research & Development

Our NABL - accredited lab empowers our R&D team to push boundaries in innovation, leveraging state-of-the-art testing and analysis capabilities.

The lab's expertise in electronics and engineering plastic testing enables us to develop and refine products that meet the highest standards of quality and performance.



How to **Choose Lights**

There are three layers of lighting when combined correctly will create the optimum aesthetic lighting solution.



Ambient lighting, also known as general lighting, is the foundational layer of illumination in any room. It provides the overall light that enables you to navigate a space safely and comfortably without relying on direct light sources. Ambient lighting delivers uniform light throughout a room. It typically comes from overhead fixtures like ceiling-mounted lights, recessed lighting, or wall-mounted fixtures.



While ambient lighting sets the overall tone, task lighting targets specific activities. It's all about function—providing light where you need it most to complete a task with ease and clarity. Task lighting is a focused beam of light that enhances visibility for activities like reading, cooking, working, or grooming.



Accent lighting is the most artistic of the three lighting types. Its role is to highlight specific features and add visual interest. Accent lighting draws the eye and adds depth and texture to a room. Accent lighting is used to emphasize architectural elements, artwork, decorative pieces, or even textures like brick or stone walls.

Let's Understand **Lighting Terms**

LED

LED (Light Emitting Diode) is a modern lighting technology that offers high energy efficiency, long lifespan, and minimal heat emission. Unlike traditional bulbs, LEDs convert electricity directly into light, making them ideal for both residential and commercial use.

KELVIN



Kelvin (K) measures the color temperature of light. Lower Kelvin values (2700K–3000K) produce warm, yellowish light that creates a cozy and relaxing atmosphere, ideal for bedrooms and living rooms.

Mid-range values (3500K–4100K) offer natural white light, suitable for kitchens and bathrooms. Higher Kelvin values (5000K–6500K) emit cool, bluish light that enhances alertness and visibility, perfect for workspaces and outdoor areas.

LUMENS & LUX

The amount of light emitting by a source is lumen and higher the lumens, the brighter the light.

LUMENS

LUX

The amount of light falling on a surface is lux and it will depend on distance of the surface from source and beam angle.

COLOR RENDERING INDEX (CRI)

CRI (Color Rendering Index) is a metric used to evaluate how well a light source reveals the true colors of objects in comparison to natural daylight. It is measured on a scale from 0 to 100, with higher values indicating better color accuracy. For example, a CRI above 80 is generally considered good for most indoor environments, while a CRI above 90 is preferred in settings where color precision is critical, such as art studios, retail displays, or medical facilities.

50 CRI

Compact Fluorescent



80 CRI

Standard LED



90+ CRI

Lux High CRI



BURNING HOURS

Burning hours refer to the lifespan of a light source. For LEDs, it's the time until brightness drops to about 80% of the original level. For incandescent bulbs, it's when the bulb stops working completely.

Let's Understand **Lighting Terms**



SURGE PROTECTION

Surge protection shields LED systems from voltage spikes caused by lightning, grid issues, or heavy equipment. A 4kV surge protector suits residential or low-risk indoor setups; 6kV protection meets industrial standards for places like warehouses and gyms and 10kV surge protectors are ideal for outdoor or high-risk areas prone to lightning.

Choosing the right surge capacity ensures longevity and reliability of LED lighting. Proper surge protection reduces maintenance costs and prevents unexpected failures.



Residential

4
kV

A circular icon containing a white house silhouette. Below it, a red lightning bolt is shown striking a white circle. The text "Residential" is above the circle, and "4 kV" is below it.

Commercial

6
kV

A circular icon containing a white warehouse silhouette. Below it, a red lightning bolt is shown striking a white circle. The text "Commercial" is above the circle, and "6 kV" is below it.

Outdoor

10
kV

A circular icon containing a white outdoor lighting fixture silhouette. Below it, a red lightning bolt is shown striking a white circle. The text "Outdoor" is above the circle, and "10 kV" is below it.

IP RATINGS

IP rating (Ingress Protection) measures how well a light fixture is protected from solid particles and liquids. It consists of two numbers: the first digit indicates protection against solids (like dust), while the second digit represents resistance to liquids.



Ingress Protection (IP) ratings guide

Solids

Liquids

X	There is no available data.	0	No protection
0	No protection against ingress or contact of solids.	1	Protection against dripping water
1	Protection against objects larger than 50 mm.	2	Protection against dripping water at a 15-degree angle.
2	Protection against objects larger than 12.5 mm.	3	Protection against spraying water.
3	Protection against objects larger than 2.5 mm.	4	Protection against splashing water
4	Protection against objects larger than 1 mm.	5	Protection against water jets.
5	Protection against Dust.	6	Protection against powerful water jets.
6	Protection against Dust-tight.	6k	Protection against water jets higher pressure.
		7	Protection against being immersed in 1 meter of water.
		8	Protection against being immersed in at least 1 meter of water (or more)
		9	Protection against powerful water jets with high pressure.



Choosing the **Right Lumens**




Room area in sq.ft.	Lumens required
96	2000
108	2250
120	2500
132	2750



Room area in sq.ft.	Lumens required
80	1600
90	1800
100	2000
110	2200



Room area in sq.ft.	Lumens required
64	1600
72	1800
80	2000
88	2200



Room area in sq.ft.	Lumens required
96	2000
108	2250
120	2500
132	2750



Room area in sq.ft.	Lumens required
80	1600
90	1800
100	2000
110	2200



Room area in sq.ft.	Lumens required
64	1600
72	1800
80	2000
88	2200

Environmental Benefits of LED Lighting



Energy Efficiency



Uses up to 90% less energy than incandescent bulbs.



Waste Reduction & Long Lifespan

- Lifespan of up to 25,000+ hours.
- Fewer replacements less waste from bulbs and packaging.



No Harmful Chemicals

- Mercury-free and lead-free.
- Safer for health and environment no special disposal needed.




100% Recyclable

- All components can be recycled.
- Supports a circular economy and reduces landfill waste.



No UV or Infrared Radiation

- Protects art, fabrics, and human health.



LED PANELS & DOWNLIGHTS



NEW
LAUNCH

ADJUSTABLE DUAL COLOUR LED

Watt: 8W, 12W | Colors: Cool White + Amber,
Blue, Pink, Green, Red, RGB



VARIETY OF
COLORS

2 YEARS
WARRANTY

Enhance your space with the Adjustable Dual Colour LED Downlight. Featuring a cool white core with five ambient hues, it lets you set the mood with ease. Its adjustable mounting fits 2.5 to 5-inch ceiling cut-outs, ensuring style and convenience.

HIGHLIGHTS:

- 5 Beautiful Glowing Ring Options
- Adjustable Mounting Design Fits Ceiling Cut-outs from 2.5 to 5 Inch
- Sleek & Minimal Aesthetic
- Ambient Lighting Modes
- Multiple Mode Switching



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W'	MRP ₹	CASE LOT
8W+8W	CW+AM/BL/PN/GR/RGB	Ø 110x32	Ø 60-80	80	895	20
12W+12W	CW+AM/BL/PN/GR/RGB	Ø 170x32	Ø 75-130	80	1295	20

*6500K:CW

AVAILABLE COLORS:



Cool White + Pink



Cool White + Green



Cool White + Amber



Cool White + RGB



Cool White + Blue

 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

**NEW
LAUNCH**

HAZE PLUS LED PANEL (Sun Flame Design)

**Watt: 6W, 10W, 12W, 15W, 20W | Colors: Cool White,
Natural White, Warm White, 3 in 1**



**2 YEARS
WARRANTY**

Gracefully sculpted with nature's touch, the HAZE Plus LED Panel (Sun Flame Design) brings soft brilliance and smart adaptability. With 3-in-1 colour modes, it blends sun-like brightness with petal-like calm – perfect for spaces that deserve more.

HIGHLIGHTS:

- Nature-inspired Minimal Design
- Sleek by Design, Sharp in Style
- Effortless 3-in-1 Switching: CW-NW-WW with Toggle
- Hybrid Lens Technology Delivers Uniform Light without Dark Spots
- Soft Yet Radiant Glow
- Delivers 110 Lumens of Bright, Efficient Illumination



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	MRP(3 in 1) ₹	CASE LOT
6W	CW/NW/WW	Ø124.5/124.5 x 124.5 x 30	Ø98/98x98	110	500	-	20
10W	CW/NW/WW	Ø124.5/124.5 x 124.5 x 30	Ø98/98x98	110	600	800	20
12W	CW/NW/WW	Ø147.5/147.5 x 147.5 x 30	Ø126/126x126	110	800	900	20
15W	CW/NW/WW	Ø175/175 x 175 x 30	Ø153/153x153	110	1000	1150	20
20W	CW/NW/WW	Ø225/225 x 225 x 30	Ø201/201x201	110	1350	1450	10

*6500K:CW

AVAILABLE VARIANTS:



Round



Square

 **15k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

**NEW
LAUNCH**

HAZE LED PANEL (Sunflower Design)

**Watt: 6W, 10W, 12W, 15W, 20W | Colors: Cool White,
Natural White, Warm White, 3 in 1**



**2 YEARS
WARRANTY**

HAZE LED Panel (Sunflower Design) brings nature-inspired elegance to modern living. With a soft, Sunflower-like glow and flexible colour modes, it offers seamless, shadow-free lighting in both round and square designs.

HIGHLIGHTS:

- Elegant Petal-inspired Design
- Sleek by Design, Sharp in Style
- Effortless 3-in-1 Switching: CW-NW-WW with Toggle
- No Dark Spots, Maximum Comfort
- Bright Yet Gentle Illumination



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	MRP (3 in 1) ₹	CASE LOT
6W	CW/NW/WW	Ø117/117x117x28	Ø98/98x98	80	450	-	20
10W	CW/NW/WW	Ø117/117x117x28	Ø98/98x98	80	575	675	20
12W	CW/NW/WW	Ø142/142x142x28	Ø122/122x122	80	700	800	20
15W	CW/NW/WW	Ø168/168x168x28	Ø148/148x148	80	800	900	20
20W	CW/NW/WW	Ø220/220x220x28	Ø200/200x200	80	1250	1400	10

*6500K:CW

AVAILABLE VARIANTS:



Round



Square

 **15k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection



SLIM RECESS PANEL

Watt: 5W, 10W, 15W, 20W | Colors: Cool White, Natural White, Warm White



2 YEARS WARRANTY

The SLIM Recess Panel offers sleek, seamless lighting – round or square, in versatile wattages and tones. Ultra-slim and energy-efficient, it brings understated brilliance to any ceiling.

HIGHLIGHTS:

- Ultra-Slim, Minimal Profile
- Available in Round & Square Shapes
- Effortless 3-in-1 Switching: CW-NW-WW with Toggle
- Energy-Efficient Performance
- Fits Various Ceiling Depths
- Soft, Even Illumination



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
5W	CW/NW/WW	∅ 95/95x95x25	∅85/85x85	80	425	40
10W	CW/NW/WW	∅ 130/130x130x26	∅110/110x110	80	625	40
15W	CW/NW/WW	∅ 145/145x145x26	∅120/120x120	80	825	20
20W	CW/NW/WW	∅ 184/184x184x30	∅155/155x155	80	1225	20

*6500K:CW

AVAILABLE SHAPES:



Round



Square

 **15k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

**NEW
LAUNCH**

ZYLO SLIM LED PANEL ALUMINIUM

Watt: 6W, 12W, 15W, 18W | Colors: Cool White,
Natural White, Warm White



**2 YEARS
WARRANTY**

ZYLO Slim LED Panel unites strength with sophistication. Its sleek aluminium body ensures durability and superior heat management, while the edge-lit design provides uniform, purposeful lighting. With a refined, space-saving form and an external driver for added convenience, it's built to perform with elegance.

HIGHLIGHTS:

- Premium Aluminum Material for Endurance
- Sleek, Space-Saving Design
- Enhanced Heat Dissipation
- Durable & Efficient Performance



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
6W	CW/NW/WW	Ø120/120x120x16.5	Ø105/105x105	85	575	40
12W	CW/NW/WW	Ø170/170x170x16.5	Ø125/125x125	100	825	20
15W	CW/NW/WW	Ø170/170x170x16.5	Ø155/155x155	100	925	20
18W	CW/NW/WW	Ø190/190x190x16.5	Ø175/175x175	100	1175	20

*6500K:CW

AVAILABLE SHAPES:



Round



Square

 **25k**
Working Hours

 **110°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection



SCINTILLATE EDGE LIT LED PANEL SLIM

Watt: 3W, 6W, 12W, 15W, 18W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

Scintillate Edge Lite LED Panel blends subtle brilliance with smart design. It's ultra-slim, edge-lit form delivers uniform glow and seamless fit – crafted for choice, built for performance.

HIGHLIGHTS:

- Sleek & Ultra-Slim Profile
- Fits a Variety of Ceiling Depths
- Edge-Lit for Soft, Even Lighting
- Energy-Efficient Functionality



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW	Ø90/90x90x30	Ø65/65x65	50	395	20
6W	CW/NW/WW	Ø120/120x120x30	Ø100/100x100	65	550	20
12W	CW/NW/WW	Ø170/170x170x30	Ø150/150x150	80	950	20
15W	CW/NW/WW	Ø170/170x170x30	Ø150/150x150	80	1050	20
18W	CW/NW/WW	Ø225/225x225x30	Ø198/198x198	85	1450	20

*6500K:CW

AVAILABLE SHAPES:



Round



Square

 **15k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **2.5kV**
Surge Protection

NEW
LAUNCH

PROFILE LED PANEL 3 IN 1

Watt: 15W | Colors: Cool White - Natural White -
Warm White (3 in 1)



2 YEARS
WARRANTY

A statement in simplicity, the Profile LED Panel combines sleek design with versatile 3-in-1 color flexibility. Effortlessly shifting between warm, neutral, and cool tones, it adapts to every mood and moment—bringing refined elegance, comfort, and style to modern interiors

HIGHLIGHTS:

- Sleek & Ultra-Slim Profile
- Edge-Lit for Soft, Even Lighting
- Effortless 3-in-1 Switching: CW-NW-WW with Toggle
- Fits a Variety of Ceiling Depths
- Energy-Efficient Functionality



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
15W	CW-NW-WW	∅168/168x168x27	∅156/156x156	70	895	20

*6500K:CW

AVAILABLE SHAPES:



Round



Square

 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **3kV**
Surge Protection



DEEP LED DOWNLIGHT

Watt: 10W, 20W | Colors: Cool White,
Natural White, Warm White, 3 in 1



2 YEARS
WARRANTY

The Deep LED Downlight delivers glare-free brilliance with a recessed, minimalist design. With 3-in-1 colour tuning, it brings clarity, comfort, and precision to every space.

HIGHLIGHTS:

- Deep Recessed Design for Anti-Glare Lighting
- Seamless Ceiling Integration with Minimal Trim
- Effortless 3-in-1 Switching: CW/NW/WW with Toggle
- Clean, Modern Aesthetic
- Crisp & Comfortable Illumination



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
10W	CW/NW/WW	Ø 119x54	Ø109	90	695	20
10W	CW-NW-WW(3 in 1)	Ø 119x54	Ø109	75	795	20
20W	CW/NW/WW	Ø 151x62	Ø141	90	1095	10
20W	CW-NW-WW(3 in 1)	Ø 151x62	Ø141	80	1195	10

*6500K:CW

AVAILABLE SHAPES:



Round

 **25k**
Working Hours

 **100°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **3kV**
Surge Protection

**NEW
LAUNCH**

DEEP INTEGRAL NXT-G LED DOWNLIGHT

Watt: 7W, 12W, 15W | Colors: Cool White,
Natural White, Warm White, Red, Green, Blue



**2 YEARS
WARRANTY**

The Deep Integral NXT-G LED Downlight casts a soft, moonlit glow through a precision diffuser. With built-in junction box and energy-efficient design, it adds depth and warmth to any space.

HIGHLIGHTS:

- Seamless Moon Glow Diffuser
- Energy-Efficient Performance
- Compatible with Junction Box Installations
- Elegant, Deep-Recessed Design



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
7W	CW/NW/WW RE/GR/BL	Ø87x67	Ø50	90	350	50
12W	CW/NW/WW	Ø140x57	Ø46	90	650	20
15W	CW/NW/WW	Ø140x57	Ø46	90	750	20

*6500K:CW

AVAILABLE COLORS:



Cool White



Warm White



Natural White



Red



Green



Blue



25k
Working Hours



120°
Beam Angle



>80
CRI



≥0.9
Power Factor



4kV
Surge Protection



DUAL COLOR LED JUNCTION BOX DOWNLIGHT

Watt: 6W, 10W (TWIRA), 12W | Colors: Amber, Blue, Pink, Green, Red, RGB



2 YEARS
WARRANTY

Where mood meets precision – the Dual Colour LED Junction Box Downlight pairs a cool white core with 4 vibrant ring hues. With dual mounting and a moon-glow diffuser, it turns ceilings into ambient art.

HIGHLIGHTS:

- Dual Ring with 4 Colour Options + Cool White Center
- Multiple Lighting Modes for Mood Enhancement
- Dual Mounting Cap (Fits 1.5"–2.5" Junction Box Cutouts)
- Diffuser with Seamless Moon Glow Effect
- Ideal for Indoor Accent Lighting
- Easy Fit & Energy Efficient



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
6W+6W	CW+WW/BL/PN/RGB	Ø85x44	Ø50	90	395	40
NEW 10W+10W (TWIRA)	CW+WW/RE/GN/BL/PN/RGB, 3 in 1	Ø100x51	Ø73	80	695	20
12W+12W	CW+WW/BL/PN/RGB	Ø130x70	Ø40 (Inner) Ø60 (Outer)	80	695	20

*6500K:CW

AVAILABLE COLORS:



Cool White + Blue



Cool White + Warm White



Cool White + Pink



Cool White + RGB



Twira
Cool White + RGB



Twira
Cool White + 3 in 1



25k
Working Hours



120°
Beam Angle



>80
CRI



≥0.9
Power Factor



4kV
Surge Protection

**NEW
LAUNCH**

LED ACRYLIC DOWNLIGHT (3 in 1)

Watt: 3W, 7W | Colors: Cool White - Natural White - Warm White



**2 YEARS
WARRANTY**

Modern in form and seamless in function, the LED Acrylic Downlight features a clear outer ring and built-in diffuser for soft, glare-free light. Its 3-in-1 colour temperature switch makes it perfect for elegant, low-height spaces.

HIGHLIGHTS:

- Transparent Acrylic Ring for Stylish Aesthetic
- Built-in Diffuser for Soft, Even Light
- Effortless 3-in-1 Switching: CW-WW-NW with Toggle
- Ideal for Low Ceilings & Recessed Installations
- Durable Polycarbonate Housing



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW-WW-NW(3 in 1)	Ø 79.5 x 35	Ø47	65	275	40
7W	CW-WW-NW(3 in 1)	Ø 104.5 x 45.5	Ø66	75	325	20

*6500K:CW

AVAILABLE IN:

3 in 1



 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **3kV**
Surge Protection

NEW
LAUNCH

SLIM GLO LED JUNCTION BOX DOWNLIGHT

Watt: 3W, 6W, 9W, 10W, 12W | Colors: Amber, Blue,
Pink, Green, Red, RGB, 3 in 1



VARIETY OF
COLORS

3 IN 1
COLORS
THROUGH ON/OFF SWITCH

2 YEARS
WARRANTY

Designed for modern minimalism, the SLIM GLO LED Downlight combines sleek aesthetics with high efficiency. Its ultra-slim, space-saving form fits perfectly into compact ceilings and junction boxes, delivering powerful, uniform illumination without compromise. A seamless blend of style and performance for contemporary spaces.

HIGHLIGHTS:

- Ultra-Slim Profile for Compact Installations
- Bright & Efficient Light Output
- Available in Multiple Wattages



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W'	MRP ₹	CASE LOT
3W	CW/NW/WW/AM/BL/GR/PN/RE	Ø 82 x 26	Ø55	100	190	40
3W	3 in 1/RBP	Ø 82 x 26	Ø55	100	260	40
6W	CW/NW/WW/AM/BL/GR/PN/RE	Ø 110 x 26	Ø71	100	275	40
6W	3 in 1/RBP	Ø 110 x 26	Ø71	100	375	40
9W	CW/NW/WW/AM/BL/GR/PN/RE	Ø 110 x 26	Ø71	100	390	40
NEW 9W	CW-NW-WW (3 in 1), RBP	Ø 110 x 26	Ø71	80	490	40
10W(4 in)	CW/NW/WW	Ø 129 x 29	Ø102	80	425	20
12W(3 in)	CW/NW/WW	Ø 110 x 26	Ø71	80	415	40
NEW 12W(3 in)	3 in 1/RBP	Ø 110 x 26	Ø71	80	515	40
12W(4 in)	CW/NW/WW/RE/GR/BL/PN/AM	Ø 129 x 30	Ø100	100	425	20
NEW 15W(4 in)	CW/NW/WW	Ø 129 x 29	Ø102	80	525	20

*6500K:CW

AVAILABLE COLORS (3W, 6W, 9W, 12W & 15W - 4 in):



25k
Working Hours

110°
Beam Angle

>80
CRI

≥0.9
Power Factor

3kV
Surge Protection

NEW
LAUNCH

MINI GLO LED JUNCTION BOX DOWNLIGHT

Watt: 3W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

The MINI GLO LED Junction Box Downlight is a compact, versatile spotlight ideal for wardrobes, cabinets, and other small spaces. With a sleek white finish, multiple colour temperature options, and suitable for junction box, it offers easy installation and focused illumination – balancing functionality with modern style.

HIGHLIGHTS:

- Miniature Size Spotlight for Compact Areas
- Ideal for Wardrobes, Cabinets, and Niches
- Sleek White Finish for Modern Interiors
- Available in Multiple Color Temperatures
- Easy to Install and Long-lasting Performance



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W'	MRP ₹	CASE LOT
3W	CW/NW/WW	Ø 75 x 27	Ø 45	80	190	50

AVAILABLE SHAPES:



Round

AVAILABLE COLORS:



Cool White



Warm White



Natural White



Blue



Red



Green



Pink



25k
Working Hours



120°
Beam Angle



>80
CRI



≥0.9
Power Factor



3kV
Surge Protection



SCINTILLATE FRAMELESS PANEL

Watt: 6W, 12W, 15W, 18W, 24W | Colors: Cool White, Natural White, Warm White, 3 in 1



2 YEARS
WARRANTY

Crafted to blend in yet stand out, the Scintillate Frameless Panel delivers a seamless, edge-free glow. With a wide 120° beam, it fills modern spaces with uniform, comfortable light.

HIGHLIGHTS:

- Frameless, Minimalist Aesthetic
- Uniform & Bright Illumination
- Wide 120° Beam Angle for Broader Coverage
- Easy Surface Mount – No Recess Required
- Perfect for Modern Ceilings & Walls



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
6W	CW/NW/WW	Ø 90/90 x 90 x 27	70	550	20
12W	CW/NW/WW	Ø 120/120 x 120 x 27	80	800	20
15W	CW/NW/WW	Ø 155/155 x 155 x 27	80	1000	20
NEW 15W	CW-NW-WW(3 in 1)	Ø 155/155 x 155 x 27	80	1100	20
18W	CW/NW/WW	Ø 155/155 x 155 x 27	80	1250	20
24W	CW/NW/WW	Ø 190/190 x 190 x 27	80	1500	20

*6500K:CW

AVAILABLE SHAPES:




Round



Round (15W)



Square



Square (15W)

 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection



SCINTILLATE SLIM SURFACE PANEL

Watt: 6W, 12W, 15W, 18W, 22 W | Colors: Cool
White, Natural White, Warm White



2 YEARS
WARRANTY

Scintillate Slim Surface Panel designed for broad, uniform illumination, this sleek, space-saving panel mounts directly on ceilings or walls – bringing effortless elegance to modern interiors without the need for false ceilings.

HIGHLIGHTS:

- Slim & Compact Profile
- Uniform, Bright Illumination
- Wide Light Spread for Greater Coverage
- Surface Mount – No False Ceiling Required
- Ideal for Modern Living & Workspaces



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
6W	CW/NW/WW	Ø 120/120 x 120 x 25	80	650	20
12W	CW/NW/WW	Ø 170/170 x 170 x 25	90	900	20
15W	CW/NW/WW	Ø 170/170 x 170 x 25	90	1200	20
18W	CW/NW/WW	Ø 225/225 x 225 x 25	90	1450	20
22W	CW/NW/WW	Ø 225/225 x 225 x 25	90	1650	10

*6500K:CW

AVAILABLE SHAPES:



Round



Square

 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

NEW
LAUNCH

TWIST & FIT SURFACE PANEL

Watt: 7W, 12W, 20W | Colors: Cool White,
Natural White, Warm White, 3 in 1



2 YEARS
WARRANTY

A modern rimless design meets effortless functionality with Twist & Fit Surface panel. With twist-lock installation and 3-in-1 colour tuning, it delivers immersive, adaptive lighting that fits any mood or space - all with minimal effort.

HIGHLIGHTS:

- Slim, Rimless & Contemporary Design
- Effortless 3-in-1 Switching: CW/NW/WW with Toggle
- Wide 120° Beam Angle for Broad Coverage
- Bright & Uniform Light Output
- Available in Multiple Wattages, Sizes & CCT Options
- Round Shape for Seamless Aesthetics



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
7W	CW/NW/WW	Ø 100 x 40	100	550	20
7W	CW-NW-WW (3 in 1)	Ø 100 x 40	100	650	20
12W	CW/NW/WW	Ø 145 x 40	100	750	20
12W	CW-NW-WW (3 in 1)	Ø 145 x 40	100	975	20
20W	CW/NW/WW	Ø 185 x 40	100	1050	20
20W	CW-NW-WW (3 in 1)	Ø 185 x 40	100	1200	20

*6500K:CW

AVAILABLE IN:



25k
Working Hours

120°
Beam Angle

>80
CRI

≥0.9
Power Factor

3kV
Surge Protection



Scan QR Code for
Immersive Experience



LED COB & SPOT LIGHTS



NEW
LAUNCH

GLISS DEEP RECESS COB DOWNLIGHT

Watt: 7W, 12W, 18W | Colors: Cool White,
Natural White, Warm White




2 YEARS
WARRANTY

Sleek in form and refined in function, the Gliss Deep Recess COB Downlight pairs a premium aluminium body with a deep-recessed, anti-glare lens – delivering focused, comfortable illumination that elevates modern interiors with clarity and style.

HIGHLIGHTS:

- Superior Finish Aluminium Housing
- Powered by COB for Consistent, High-Quality Illumination
- Deep Recessed Design for Anti-Glare Comfort
- Available in Multiple Wattages, Sizes & Finishes
- Enhances Visual Clarity Without Overwhelming the Space



WATTS	COLOUR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W'	MRP ₹	CASE LOT
7W	CW/NW/WW	• BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR	Ø 70 x 50	Ø 65	75	1000	20
7W	CW/NW/WW	WHITE HSG	Ø 64 x 60	Ø 55	80	900	20
12W	CW/NW/WW	• BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR	Ø 85 x 75	Ø 75	75	1300	20
12W	CW/NW/WW	WHITE HSG	Ø 85 x 75	Ø 75	80	1200	20
18W	CW/NW/WW	• BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR	Ø 90 x 88	Ø 85	75	1800	20
18W	CW/NW/WW	WHITE HSG	Ø 90 x 88	Ø 80	80	1600	20

*6500K:CW

AVAILABLE VARIANTS:



Black Housing + Gun Metal Reflector



Black Housing + Rose Gold Reflector



White Housing

 **25k**
Working Hours

 **24°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **≥4kV**
Surge Protection

**NEW
LAUNCH**

GLISS DECO COB DOWNLIGHT

Watt: 7W, 12W, 18W | Colors: Cool White,
Natural White, Warm White




**2 YEARS
WARRANTY**

Where elegance meets precision - Gliss Deco COB Downlight features a refined aluminium build, anti-glare depth, and COB brilliance to enhance every detail. Its sleek, decorative finish adds a stylish touch to modern interiors.

HIGHLIGHTS:

- Premium Aluminium Body with Decorative Finish
- COB Technology for Efficient & Focused Lighting
- Deep Recessed, Anti-Glare Design
- Enhances Texture Without Visual Fatigue
- Ideal for Stylish, Contemporary Interiors
- Available in Multiple Wattages, Sizes & Finishes



WATTS	COLOR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W	MRP ₹	CASE LOT
7W	CW/NW/WW	<ul style="list-style-type: none"> • BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR • WHITE HSG & RG REFLTR • WHITE HSG & GM REFLTR 	Ø 70 x 50	Ø 65	80	900	20
12W	CW/NW/WW	<ul style="list-style-type: none"> • BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR • WHITE HSG & RG REFLTR • WHITE HSG & GM REFLTR 	Ø 90 x 75	Ø 80	80	1200	20
18W	CW/NW/WW	<ul style="list-style-type: none"> • BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR • WHITE HSG & GM REFLTR • WHITE HSG & RG REFLTR 	Ø 95 x 75	Ø 90	80	1800	20

*6500K:CW

AVAILABLE VARIANTS:



White Housing +
Rose Gold Reflector



Black Housing +
Gun Metal Reflector



Black Housing +
Rose Gold Reflector



White Housing +
Gun Metal Reflector

 **25k**
Working Hours

 **24°**
Beam Angle

 **>80**
CRI


 **≥0.9**
Power Factor

 **≥4kV**
Surge Protection

NEW
LAUNCH

GLISS COB SURFACE SPOT LIGHT

Watt: 7W, 12W, 18W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

Bold in form, refined in function – Gliss COB Surface Spot Light delivers focused, anti-glare illumination through deep-recessed COB tech. With a premium aluminium build, it mounts seamlessly on ceilings or walls, no false ceiling needed.

HIGHLIGHTS:

- Superior Finish Aluminium Body
- COB Technology for Focused, Efficient Lighting
- Deep Recessed Design for Anti-Glare Comfort
- Surface Mount – No False Ceiling Needed
- Enhances Texture & Clarity with Balanced Glow
- Available in Multiple Wattages, Sizes, CCTs & Finishes

WATTS	COLOR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
7W	CW/NW/WW	<ul style="list-style-type: none"> • BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR • WHITE HSG & RG REFLTR • WHITE HSG & GM REFLTR 	Ø 55 x 74	80	1000	20
12W	CW/NW/WW	<ul style="list-style-type: none"> • BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR • WHITE HSG & RG REFLTR • WHITE HSG & GM REFLTR 	Ø 74 x 90	80	1750	20
18W	CW/NW/WW	<ul style="list-style-type: none"> • BLACK HSG & RG REFLTR • BLACK HSG & GM REFLTR • WHITE HSG & RG REFLTR • WHITE HSG & GM REFLTR 	Ø 94 x 110	80	2350	20

*6500K:CW

AVAILABLE VARIANTS:



White Housing +
Gun Metal Reflector



Black Housing +
Gun Metal Reflector



Black Housing +
Rose Gold Reflector



White Housing +
Rose Gold Reflector

 **25k**
Working Hours

 **30°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **≥4kV**
Surge Protection

NEW
LAUNCH

GLISS COB SURFACE TRACK LIGHT

Watt: 7W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

Refined in design and powerful in performance, Gliss COB Surface Track light offers focused, anti-glare illumination through recessed COB technology. With a sleek aluminium body, it enhances details and mounts easily on ceilings or walls.

HIGHLIGHTS:

- Superior Finish Aluminium Housing
- COB Technology for Efficient, Focused Lighting
- Deep Recessed Design for Visual Comfort
- Flexible Adjustment for Targeted Illumination
- Surface Mount – No False Ceiling Needed
- Ideal for Galleries, Retail & Feature Lighting
- Available in Multiple Wattages, CCTs & Finishes

WATTS	COLOR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
7W	CW/NW/WW	BLACK HSG WHITE HSG	Ø 49 x 110	80	1200	10

*6500K:CW

AVAILABLE VARIANTS:



White Housing



Black Housing

 **25k**
Working Hours

 **24°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **≥4kV**
Surge Protection

NEW
LAUNCH

GLISS COB RECESS TRACK LIGHT

Watt: 10W, 20W, 30W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

Designed for control and crafted for elegance, Gliss COB Recess Track Light delivers focused, glare-free brilliance. Its deep recessed COB source and sleek aluminium body adapt effortlessly to shifting moods and spaces.

HIGHLIGHTS:

- Premium Aluminium Body with Sleek Finish
- COB Technology for Consistent, Focused Lighting
- Deep Recessed Design for Anti-Glare Comfort
- Adjustable Light Positioning for Flexible Use
- Easy Installation on Track Channels
- Available in Multiple Wattages and Sizes

TRACK LIGHT CHANNEL 1 MTR - ALUMINIUM



White Housing

Black Housing

WATTS	COLOR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
10W	CW/NW/WW	BLACK HSG WHITE HSG	Ø 65 x 115	80	1590	10
20W	CW/NW/WW	BLACK HSG WHITE HSG	Ø 65 x 140	80	2299	10
30W	CW/NW/WW	BLACK HSG WHITE HSG	Ø 76 x 156	80	3499	10

*6500K:CW

AVAILABLE VARIANTS:



Black Housing



White Housing

 **25k**
Working Hours

 **24°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **≥4kV**
Surge Protection

NEW
LAUNCH

TILTABLE JB COB DOWNLIGHT

Watt: 3W | Colors: Cool White,
Natural White, Warm White, Blue, Pink, RBP, 3 in 1



VARIETY OF
COLORS


3 IN 1
COLORS
THROUGH ON/OFF SWITCH

2 YEARS
WARRANTY

Designed for directional elegance, Tiltable JB COB Downlight offers focused lighting with a 60° beam and COB clarity. Its tiltable form and 3-in-1 colour tuning bring precision and style to dynamic spaces.

HIGHLIGHTS:

- Tiltable Design for Directional Lighting
- Uniform & Bright COB Illumination
- 60° Beam Angle for Focused Coverage
- 3-in-1 Switchable Color Temperature
- Ideal for Accent & Task Lighting in Modern Interiors
- Available in Multiple CCT Options



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW/BL/PN	Ø 90x43x90	Ø 55	80	295	50
3W	CW-NW-WW(3-IN-1)	Ø 90x43x90	Ø 55	80	395	50
3W	RBP(3-IN-1)	Ø 90x43x90	Ø 55	80	395	50

*6500K:CW

AVAILABLE SHAPES:



Round

AVAILABLE COLORS:



Cool White



Warm White



Natural White



Blue



Red



Pink

 **25k**
Working Hours

 **60°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **3kV**
Surge Protection

NEW
LAUNCH

DELLA LED COB DOWNLIGHT

Watt: 7W | Colors: Cool White, Natural White,
Warm White




2 YEARS
WARRANTY

Compact yet precise, Della LED COB Downlight delivers focused brilliance with an anti-glare design. Its durable white polycarbonate body and 60° beam enhance textures, soften shadows, and fit seamlessly into ceilings or junction boxes.

HIGHLIGHTS:

- Durable White Polycarbonate Housing
- Powered by COB for Consistent, Efficient Lighting
- Deep Recessed, Anti-Glare Design
- Fits Recessed Ceilings & Junction Boxes (72mm Cutout)



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
7W	CW/NW/WW	Ø 110 x 60	Ø 72	60	495	20

*6500K:CW

AVAILABLE SHAPES:



Round

 **15k**
Working Hours

 **26°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

NEW
LAUNCH

DELLA LED SPOT DOWNLIGHT (WHITE)

Watt: 7W, | Colors: Cool White, Natural White,
Warm White




2 YEARS
WARRANTY

Sleek and precise, the Della LED Spot Downlight (White) delivers a crisp 60° beam from its refined white polycarbonate body. With a deep, anti-glare design for comfort and interchangeable reflectors for versatility, it's easy to install and flawless in performance.

HIGHLIGHTS:


- Durable Polycarbonate Housing in White
- Efficient & Focused 7W Spot Illumination
- Deep Recessed, Anti-Glare Comfort
- Customizable Reflector Colours & Finishes
- Fits Recessed Ceilings & Junction Boxes (72mm Cutout)



WATTS	COLOR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W'	MRP ₹	CASE LOT
7W	CW/NW/WW	<ul style="list-style-type: none"> • WH HSG & MATT RG REFLTR • WH HSG & MATT GM REFLTR • WH HSG & GM REFLTR • WH HSG & RG REFLTR 	Ø 110 x 60	Ø 72	75	475	20

*6500K:CW

AVAILABLE VARIANTS:



White Housing + Matt
Rose Gold Reflector



White Housing +
Rose Gold Reflector



White Housing + Matt
Gun Metal Reflector



White Housing +
Gun Metal Reflector



15k
Working Hours



26°
Beam Angle



>80
CRI



≥0.9
Power Factor



4kV
Surge Protection

NEW
LAUNCH

DELLA LED SPOT DOWNLIGHT (BLACK)

Watt: 7W, | Colors: Cool White, Natural White,
Warm White




2 YEARS
WARRANTY

Bold yet refined, the Della LED Spot Downlight (Black) casts a sharp 60° beam from its sleek black polycarbonate body. Featuring a deep, anti-glare design and interchangeable reflectors, it offers effortless installation and precise, versatile performance.

HIGHLIGHTS:

- Durable Polycarbonate Housing in Black
- Efficient & Focused 7W Spot Illumination
- Deep Recessed, Anti-Glare Comfort
- Customizable Reflector Colours & Finishes
- Fits Recessed Ceilings & Junction Boxes (72mm Cutout)



WATTS	COLOR TEMP	HOUSING	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W'	MRP ₹	CASE LOT
7W	CW/NW/WW	<ul style="list-style-type: none"> • BLK HSG & SHINY RG REFLTR • BLK HSG & MATT RG REFLTR • BLK HSG & SHINY WH REFLTR • BLK HSG & GUN METAL REFLTR 	Ø 110 x 60	Ø 72	75	475	20

*6500K:CW

AVAILABLE VARIANTS:



Black Housing + Matt
Rose Gold Reflector



Black Housing +
Gun Metal Reflector



Black Housing + Matt
White Reflector



Black Housing + Shiny
Rose Gold Reflector



15k
Working Hours



26°
Beam Angle



>80
CRI



≥0.9
Power Factor



4kV
Surge Protection

**NEW
LAUNCH**

PEARL SWIVEL NXT-G LED SPOT

Watt: 3W, 6W, 9W, 12W, | Colors: Cool White,
Natural White, Warm White




**2 YEARS
WARRANTY**

Where clarity meets control. Pearl Swivel NXT-G LED Spot offers smooth swivel action and a 60° beam for focused, elegant lighting. Compact, versatile, and refined – it's crafted to elevate modern spaces with precision and poise.

HIGHLIGHTS:

- Swivel Design for Adjustable Focus
- Uniform & Bright Illumination
- 60° Beam Angle for Soft, Targeted Lighting
- Available in Multiple Wattages and Sizes



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW	Ø 74 x 41	Ø 58	75	299	20
6W	CW/NW/WW	Ø 94 x 46	Ø 72	80	490	20
6W	CW-NW-WW (3-IN-1)	Ø 94 x 46	Ø 72	80	650	20
9W	CW/NW/WW	Ø 117 x 55	Ø 92	80	499	20
9W	CW-NW-WW (3-IN-1)	Ø 117 x 55	Ø 92	80	725	20
12W	CW/NW/WW	Ø 139 x 54	Ø 117	80	599	20
12W	CW-NW-WW (3-IN-1)	Ø 139 x 54	Ø 117	80	850	20

*6500K:CW

AVAILABLE SHAPES:



Round



3 in 1

 **25k**
Working Hours

 **60°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

NEW
LAUNCH

PEARL LED SPOT – 1W

Watt: 1W | Colors: Red, Green, Blue, Pink



VARIETY OF
COLORS

2 YEARS
WARRANTY

Compact yet powerful, Pearl LED Spot - 1W brings focused illumination to cabinets, wardrobes, and tight corners. Its sleek aluminium body and choice of color temperatures make it a refined solution where elegance meets everyday function.

HIGHLIGHTS:

- Miniature Aluminium Spot Light
- Ideal for Cabinets, Wardrobes & Small Spaces
- White Finish with Multiple CCT Options
- Focused & Efficient 1W Output
- Easy to Install



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
1W	CW/NW/WW/RE/GR/BL/PN	Ø 32 x 22	Ø 28	50	150	40

*6500K:CW

AVAILABLE VARIANTS:



Round

AVAILABLE COLORS:



Cool White



Warm White



Natural White



Blue



Red



Green



Pink



15k
Working Hours



60°
Beam Angle



>70
CRI



≥0.9
Power Factor




2kV
Surge Protection



PEARL LED NXT- G SPOT - 2W

Watt: 2W | Colors: Blue, Red, Green, Pink



2 YEARS
WARRANTY

Crafted for compact spaces, Pearl LED NXT-G Spot – 2W blends sleek design with focused function. Its white aluminium body fits modern interiors, delivering efficient light for cabinets, wardrobes, and displays – subtle in form, strong in effect.

HIGHLIGHTS:


- Miniature PC Housing Spotlight
- Crisp, Focused Lighting for Small Spaces
- White Finish with Multiple CCT Options
- Ideal for Cabinets, Wardrobes & Niche Areas
- Easy to Install & Position



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
2W	CW/NW/WW/BL/RE/GR/PN	∅ 42 x 15	∅ 35	50	150	50

*6500K:CW

AVAILABLE SHAPES:



Round

AVAILABLE COLORS:



Cool White



Warm White



Natural White



Blue



Red



Green



Pink



20k
Working Hours



45°
Beam Angle



>80
CRI



≥0.9
Power Factor



2kV
Surge Protection

NEW
LAUNCH

CURVE STRIKER – 5W

Watt: 5W | Colors: Cool White, Warm White, Natural White



VARIETY OF
COLORS

2 YEARS
WARRANTY

Designed to disappear yet illuminate beautifully, Curve Striker – 5W is a rimless, full-glow surface downlight that blends seamlessly into ceilings. With soft, uniform light and a sleek form, it's ideal for wardrobes, cabinets, and compact spaces.

HIGHLIGHTS:

- Rimless, Full-Glow Surface Design
- Ultra-Sleek Form for Modern Interiors
- 5W Uniform & Soft Light Distribution
- Ideal for Cabinets, Wardrobes & Small Spaces
- Easy to Fit & Install
- Available in Multiple Color Temperatures



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
5W	CW/NW/WW/RE/GR/BL/PN	Ø 62.5 x 17	100	300	100

*6500K:CW

AVAILABLE VARIANTS:



AVAILABLE COLORS:



25k
Working Hours

120°
Beam Angle

>80
CRI


≥0.9
Power Factor

2.5kV
Surge Protection



SCINTILLATE STRIKER

Watt: 3W, 6W | Colors: Cool White, Warm White, Blue, Green, Pink, Red



Clean lines. Clear light. Scintillate Striker offers soft, uniform brightness in a sleek, compact form - perfect for wardrobes and tight spaces. Easy to install and available in multiple wattages and color temperatures.

HIGHLIGHTS:

- Sleek, Minimalist Design
- Available in 3W & 6W with Uniform Light Output
- Multiple Color Temperatures to Match Any Theme
- Ideal for Cabinets, Wardrobes & Small Interiors
- Easy to Fit & Install



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/WW/BL/GR/PN/RE	Ø 68 x 16	NA	70	200	100
6W	CW/WW/BL/GR/PN/RE	Ø 88.64 x 16	NA	70	300	100

*6500K:CW

AVAILABLE COLORS:



Natural White



Cool White



Warm White



Red



Blue



Green



Pink



20k

Working Hours



180°

Beam Angle



>80

CRI



≥0.9

Power Factor



2.5kV

Surge Protection



LED STRIP LIGHTS





LED STRIP LIGHTS

Watt: 30W, 60W | Colors: Cool White, Natural White, Warm White, Blue, Green, Red



Set the mood with Polycab's LED Strip Lights - 240 LEDs for a smooth, uniform glow. Flexible, easy to mount, and available in multiple colors, they're perfect for profile accents, coves, or adding ambient flair to any space.


HIGHLIGHTS:

- Available in Multiple Color Options
- Flexible & Customisable for Various Applications
- Superior Adhesive Backing for Effortless Installation
- Uniform Light Spread for Seamless Ambience
- Use with Polycab SMPS (DC 12V - 5A) for Optimal Performance
- Ideal for Profile & Cove Lighting

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
30 (60 LED)	CW/NW/WW/BL/GR/RE	5 mtr/8x1.3	85	700	40
60 (120 LED)	CW/NW/WW/BL/GR/RE	5 mtr/8x2	90	1680	40
60 (240 LED)	CW/NW/WW	5 mtr/10x8	90	1900	40

*6500K:CW

AVAILABLE COLORS:




Cool White



Natural White



Warm White



Blue



Green



Red

 **30k**
Working Hours


 **120°**
Beam Angle

 **>80**
CRI



ZURO COB STRIP LIGHT

Watt: 45W | Colors: Cool White, Natural White, Warm White, Red, Blue, Green, Pink, Amber




Experience next-gen lighting with Polycab ZURO COB Strip Light. With a high-density 320-LED layout, it delivers ultra-smooth illumination. Whether for ambient glow or task lighting, ZURO enhances every space with precision and clarity.

HIGHLIGHTS:

- High LED Density – 320 LEDs/meter for Uniform Output
- Available in Multiple Color Temperatures
- Seamless, Dot-Free Light for Enhanced Aesthetics
- Consistent Brightness


AVAILABLE COLORS:



Cool White




Natural White



Warm White




Red



Green



Blue



Amber



Pink



25k
Working Hours



120°
Beam Angle



>80
CRI

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
45 (320 LED)	CW/NW/WW/RE/IB/ GN/PN/AM/BL	5 mtr/8x1.64	100	1995	5

*6500K:CW



LED STRIP LIGHT DRIVER

Watt: 24W, 60W, 72W, 120W, 150W, 200W, 300W, 400W



Power your LED strip lights with confidence. Designed with a premium aluminium finish, this driver ensures consistent performance, durability, and safe operation, making it the perfect companion for all your strip lighting applications.

HIGHLIGHTS:

- Delivers Stable and Reliable Power
- Peace of Mind for Long-term Use
- Aluminium Body for Superior Heat Dissipation

WATTS	RATING	DIMENSION RD/SQ LxWxH(mm)	MRP ₹	CASE LOT
24W	12V – 2A IP20	104x35x31	600	10
60W	12V – 5A IP20	150x53x21	595	50
72W	12V – 10A IP20	225x53x21	1195	20
120W	24V – 3A IP20	130x50x26	1295	20
NEW 150W	12V – 12.5A IP20	252x53x22	1870	20
NEW 200W	12V – 16.5A IP20	250x53x21	2340	20
NEW 300W	12V – 25A IP20	308x53x21	2570	10
NEW 400W	12V – 33.3A IP20	308x53x21	3265	10

*6500K:CW


AVAILABLE VARIANTS:



72W



60W



120W



200W



300W



400W



4kV
Surge Protection



Scan QR Code for
Immersive Experience



LED OUTDOOR LIGHTS



GLEER PLUS LED FLOOD LIGHT

Watt: 30W, 50W, 100W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

Engineered for top performance and crafted with sleek aesthetics, the GLEER PLUS LED Flood Light provides powerful, wide-area illumination with unmatched reliability. Its IP66-rated weatherproof body ensures durability, making it perfect for all-season outdoor use in any environment.

HIGHLIGHTS:

- Bright, Wide-Area Coverage
- IP66 Rated for Rain, Dust, and Heat
- Built for Durability in Demanding Environments
- Sleek Form Factor Enhances Outdoor Aesthetics

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
30W	CW/NW/WW	185 x 215 x 42	100	1650	8
50W	CW/NW/WW	185 x 215 x 42	100	2150	8
100W	CW/NW/WW	265 x 278 x 42	100	3850	4

*6500K:CW

AVAILABLE VARIANTS:



100W



50W



30W



25k
Working Hours



90°
Beam Angle



>80
CRI




>0.9
Power Factor



10kV
Surge Protection

GLEER NEO LED FLOOD LIGHT

Watt: 30W, 50W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

The GLEER PLUS NEO LED Flood Light delivers exceptionally bright, consistent wide-area illumination in a sleek, compact design. Its IP66-rated weatherproof construction ensures reliable all-season durability against harsh elements, combining modern aesthetics with robust performance for versatile residential and commercial outdoor lighting applications.

HIGHLIGHTS:

- Bright and Consistent Wide-Area Lighting
- Sleek and Compact Design with Refined Aesthetics
- Weatherproof IP66 Rating for All-season Durability
- Robust Build Quality for Long-lasting Outdoor Use

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
30W	CW/NW/WW	167 x 130 x 26	100	1600	20
50W	CW/NW/WW	226 x 167 x 26	100	2100	10
100W	CW/NW/WW	262 x 215 x 26	100	3800	8
150W	CW/NW/WW	325 x 258 x 29	100	5100	5
200W	CW/NW/WW	372 x 290 x 35	100	6400	5

*6500K:CW

AVAILABLE VARIANTS:



50W




30W



100W



150W



200W

 **25k**
Working Hours

 **120°**
Beam Angle


 **>80**
CRI

 **>0.9**
Power Factor

 **Upto 10kV**
Surge Protection

AGLOW PLUS LED STREET LIGHT

Watt: 24W, 36W, 50W, 100W | Colors: Cool white,
Natural White, Warm White



2 YEARS
WARRANTY

Sleek and modern, the Aglow Plus LED Street Light features robust construction and a weatherproof IP65 rating for reliable outdoor performance. Provides exceptionally bright and consistent illumination for comprehensive wide-area coverage, making it ideal for streets, parking lots, and various commercial outdoor lighting applications.

HIGHLIGHTS:

- Durable, Corrosion-resistant Body
- IP65 Rated for All-season Outdoor Use
- Uniform and Wide-area Brightness
- Sleek Design with Enhanced Aesthetics
- Easy Installation and Low Maintenance

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	POLE DIA (mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	272 x 120 x 57	Ø 40	100	1495	12
36W	CW/NW/WW	310 x 136 x 57	Ø 40	100	1995	8
50W	CW/NW/WW	351 x 170 x 57	Ø 40	100	2595	4
NEW 100W	CW/NW/WW	418 x 184 x 66	Ø 40	100	4950	4

*6500K:CW **100W

AVAILABLE VARIANTS:



100W



50W



36W



24W



25k
Working Hours



120°
Beam Angle



>80
CRI



>0.9
Power Factor



Upto
10kV
Surge Protection



EMBLAZE PLUS LED STREET LIGHT

Watt: 24W, 36W, 50W | Colors: Cool white,
Natural White, Warm White



2 YEARS
WARRANTY

Contemporary and streamlined, the Emblaze Plus LED Street Light boasts exceptionally sturdy construction and superior IP65 weather resistance for reliable performance. Offering consistent, powerful lighting across expansive outdoor spaces, it delivers optimal illumination for streets, highways, parking areas, and commercial outdoor lighting applications.

HIGHLIGHTS:

- Durable, Corrosion-resistant Body
- IP65 Rated for All-season Outdoor Use
- Uniform and Wide-area Brightness
- Sleek Design with Enhanced Aesthetics
- Easy Installation and Low Maintenance

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	POLE DIA (mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	325 x 87 x 105	Ø 40	100	1495	12
36W	CW/NW/WW	345 x 87 x 105	Ø 40	100	1995	8
50W	CW/NW/WW	660 x 100 x 105	Ø 40	100	2595	4

*6500K:CW

AVAILABLE VARIANTS:



50W



36W



24W

 **25k**
Working Hours

 **100°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **Upto 10kV**
Surge Protection

NEW
LAUNCH

VIGARO TWIN COLOR GATE LIGHT

Watt: 24W | Colors: Cool White, Natural White,
Warm White



2 YEARS
WARRANTY

Stylish and efficient, the VIGARO Dual Color Gate Light delivers bright yet soft illumination with minimal power consumption. Designed to enhance entrance visibility and add a refined decorative touch, this flagship design brings elegance and efficiency to both residential and commercial spaces.

HIGHLIGHTS:

- Stylish Design with Clear or Opal Diffuser
- Durable and Weather-resistant
- Easy to Install
- Ideal for Gates, Pathways, and Exterior Facades

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	POLE DIA (mm)	LM/W*	MRP ₹	CASE LOT
24W	CW+BLUE/WW+BLUE	255 x 255 x 265	Ø 40	100	3000	4

*6500K:CW

AVAILABLE VARIANTS:



25k
Working Hours

180°
Beam Angle

>80
CRI

>0.9
Power Factor

4kV
Surge Protection

NEW
LAUNCH

VIGARO CLEAR LED GATE LIGHT

Watt: 20W | Colors: Cool White, Natural White,
Warm White



2 YEARS
WARRANTY

Elegant and efficient, the VIGARO CLEAR LED Gate Light delivers bright yet soothing illumination with outstanding energy savings. Thoughtfully crafted to enhance entrance visibility, it adds a sophisticated decorative accent to both residential and commercial spaces.

HIGHLIGHTS:

- Stylish Design with Clear or Opal Diffuser
- Durable and Weather-resistant
- Easy to Install
- Ideal for Gates, Pathways, and Exterior Facades

AVAILABLE VARIANTS:



 **25k**
Working Hours

 **180°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **4kV**
Surge Protection

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	POLE DIA (mm)	LM/W'	MRP ₹	CASE LOT
20W	CW/NW/WW	175 x 175 x 225	Ø 40	75	2495	4

*6500K:CW



VIGARO OPAL LED GATE LIGHT

Watt: 24W | Colors: Cool White, Natural White,
Warm White



**2 YEARS
WARRANTY**

Elegant yet remarkably energy-efficient, the VIGARO OPAL LED Gate Light delivers exceptionally soft, bright illumination while consuming minimal power for optimal energy savings. Perfectly designed to enhance entryway visibility and elevate outdoor aesthetics with sophisticated style and reliable performance.

HIGHLIGHTS:

- Stylish Design with Clear or Opal Diffuser
- Durable and Weather-resistant
- Easy to Install
- Ideal for Gates, Pathways, and Exterior Facades

AVAILABLE VARIANTS:



24W

 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **4kV**
Surge Protection

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	POLE DIA (mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	166 x 166 x 260	Ø 40	65	1995	4

*6500K:CW



VIGARO GATE LIGHT FIXTURE

Holder: B22



2 YEARS
WARRANTY

Combining sophisticated elegance with outstanding energy efficiency, the VIGARO Gate Light provides beautifully soft, luminous lighting while maintaining exceptionally low power consumption. Thoughtfully crafted to improve entrance visibility and transform outdoor spaces with premium aesthetic appeal and lasting reliability.

HIGHLIGHTS:

- Aesthetic Design with Opal Diffuser
- Enhances Visibility and Entrance Decor
- Compatible with Led Bulbs Up to 25W
- Durable and Weather-resistant
- Easy to Install on Gate Pillars or Walls

AVAILABLE VARIANTS:



B22

HOLDER	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	POLE DIA (mm)	MRP ₹	CASE LOT
B22	NA	232 x 232 x 317	Ø 40	1299	4

 **360°**
Beam Angle

NEW
LAUNCH

LED BULKHEAD

Watt: 10W, 20W | Colors: Cool White,
Natural White, Warm White



2 YEARS
WARRANTY

Compact and fully sealed, this LED Bulkhead features a robust IP65 rating for reliable all-weather performance. Its sleek, functional design ensures wide, uniform illumination for both indoor and outdoor spaces - combining durability with modern aesthetics for long-lasting, versatile lighting.

HIGHLIGHTS:

- Ip65-rated for Protection Against Rain, Dust, and Moisture
- Compact Design with Modern Aesthetics
- Wide Light Distribution with Bright Output
- Ideal for Corridors, Balconies, Stairways, and Exteriors
- Easy Surface Mounting

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
10W	CW/NW/WW	170 x 68 x 46	90	450	20
10W	CW/NW/WW	170 x 68 x 46	90	450	20
20W	CW/NW/WW	210 x 97 x 57	100	795	20

*6500K:CW

AVAILABLE VARIANTS:



10W



10W



20W



15k
Working Hours



120°
Beam Angle



>80
CRI



>0.9
Power Factor



4kV
Surge Protection

NEW
LAUNCH

TINY STAR LED STRING LIGHT

No. of LEDs: 48, 72 | Colors: Cool White, Natural White, Warm White, Red, Green, Blue, Pink, Amber, RGB



Tiny Star LED String Lights bring vivid colors and lasting charm to any decor. Built with durable copper wire, they're flexible, easy to install with a 2-pin plug, and perfect for creating vibrant indoor or outdoor ambience.

HIGHLIGHTS:


- Copper Wire for Durability
- Plug-and-play 2-pin Thick Cord
- Brightest-in-class Illumination
- Flexible, with Two Length Options
- Multiple Vivid Color Choices




No. of LEDs	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	MRP ₹	CASE LOT
48	CW/NW/WW/AM/BL/PN GR/RE/RGRB	10 mtr	2 pin plug	349	30
72	CW/NW/WW/AM/ BL/PN/GR	13 mtr	2 pin plug	399	30

*RGRB - INR 399 | #Conditions Apply

AVAILABLE COLOURS:




Multi-Color



Green



Red



Blue



Amber



Yellow



Pink



LED ROPE LIGHTS

Watt: 200W, 360W, 400W | Colors: Cool White, Warm White, Natural White, Red, Blue, Green, Pink, Amber



Durable and flexible, LED Rope Lights offer seamless, vibrant illumination with even light distribution. Built for both indoor and outdoor use, their weather-resistant design makes them ideal for landscaping, architectural accents, events, and creative lighting with easy, versatile installation.

HIGHLIGHTS:

- Bright and Uniform Glow
- IP-rated for Dust and Water Resistance
- Flexible and Customizable Lengths
- Long-lasting with Low Power Consumption
- Available in Multiple Vivid Colors

AVAILABLE VARIANTS:



Red



Green



Pink



Amber



Blue

WATTS	MTR	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
200 (120 LED)	20	CW/WW/NW/RE/IB/GN/PN/AM/BL	11 x 6	60	4500	4
360 (60 LED)	45	CW/WW/NW/RE/GN/PN/BL	11 x 6	60	8000	1
360 (120 LED)	45	CW/WW/NW/RE/IB/GN/PN/AM/BL	11 x 6	60	9995	1
400 (120 LED)	50	CW/WW/NW/RE/GN/PN/BL	11 x 6	60	9500	1
RECTIFIER	NA	NA	NA	NA	270	20

*6500K:CW

Extra Rope Light Rectifier to be ordered separately (LAC0202011)



25k

Working Hours



>0.9

Power Factor



4kV

Surge Protection



>70

CRI



LED BATTEN





INTENSO NEO+ SLIM BATTEN

Watt: 8W, 12W, 20W | Colors: Cool White,
Natural White, Warm White



1 YEAR
WARRANTY

A modern ultra-slim batten with aesthetically refined design and wide operating voltage. Intenso NEO+ Slim Batten is built for longevity with high surge protection and available in multiple wattages, sizes, and colors. Crafted from durable polycarbonate or aluminium for stylish, long-lasting performance.

HIGHLIGHTS:

- Ultra-sleek and Stylish Form
- Wide Operating Voltage Range
- High Surge Protection
- Durable Polycarbonate or Aluminium Body
- Available in Multiple Wattages, Sizes, Shapes, And Colors

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
8W	CW/NW/WW	277 x 22.35 x 30	100	260	20
12W	CW/NW/WW	577 x 22.35 x 30	100	290	20
20W	CW/NW/WW	1095 x 22.35 x 30	100	320	30

*6500K:CW

AVAILABLE VARIANTS:



 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI


 **>0.9**
Power Factor

 **4kV**
Surge Protection



INTENSO 3-IN-1 BATTEN

Watt: 20W | Colors: Cool White, Natural White, Warm White, 3 in 1



INTENSO 3-IN-1 PC BATTEN features an in-built toggle switch for easy color changing, along with high surge protection and wide voltage compatibility. Crafted with a sleek, durable polycarbonate body, it delivers efficient illumination and modern style – perfect for homes and contemporary spaces.

HIGHLIGHTS:

- Ultra-sleek and Stylish Form
- Wide Operating Voltage Range
- High Surge Protection
- Durable Polycarbonate Body
- Available in One Size and Wattage Only

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
20W	CW-NW-WW	1130 x 23 x 37	100	625	30

*6500K:CW

AVAILABLE VARIANTS:



 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

INTENSO HIGH WATTAGE BATTEN

Watt: 24W, 30W, 36W, 40W, 50W | Colors: Cool White, Natural White, Warm White



1 YEAR
WARRANTY

The INTENSO HIGH WATTAGE BATTEN features an ultra-sleek design with superior aesthetics. It offers wide voltage compatibility, high surge protection, and comes in multiple wattages, sizes, and finishes in durable polycarbonate and aluminium extrusion.

HIGHLIGHTS:

- Sleek and Modern Profile
- Available in PC and Aluminium Body
- Wide Operating Voltage Range
- Variety of Wattage and Size Options
- Built-in Surge Protection

AVAILABLE VARIANTS:



WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	1100 x 32 x 37	100	750	20
30W	CW	1180 x 32 x 36.5	100	1000	20
36W	CW/NW/WW	1180 x 32 x 36.5	100	1045	20
40W (AL)	CW	1180 x 23 x 37	100	1500	20
NEW 45W	CW/NW/WW	1145 x 40 x 32	100	1450	20
NEW 50W	CW/NW/WW	1180 x 38 x 33	100	1500	30

*6500K:CW

 **25k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection

NEO SLIM BATTEN

Watt: 20W | Colors: Cool White,
Natural White, Warm White



1 YEAR
WARRANTY

NEO SLIM PC Batten features an ultra-sleek, modern design crafted from durable polycarbonate. Available in a 20W variant, it delivers bright, uniform illumination with wide voltage support and high surge protection. Ideal for contemporary interiors, it combines style, efficiency, and reliability in one elegant form.

HIGHLIGHTS:

- Stylish and Slim Profile
- Wide Voltage Compatibility
- High Surge Protection
- Available in Multiple Wattages and Colors
- Durable Construction (Polycarbonate or Aluminium)

WATTS	COLOR TEMP	DIMENSION RD/SQ LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
20W (2 FT)	CW/NW/WW	595 x 24 x 33	100	250	20

*6500K:CW

AVAILABLE VARIANTS:



20W

 **15k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **4kV**
Surge Protection



LED BULBS





AELIUS NXT-G LED BULB

Watt: 3W, 5W, 7W, 9W, 12W, 15W, 18W, 23W |
Colors: Cool White, Warm White, 3 in 1



1 YEAR
WARRANTY

Aelius NXT-G LED BULB offers best-in-class with reduced glare. Available in B22 and E27 caps, it's energy efficient, supports high surge protection, and comes in a variety of wattages to suit your lighting needs.

HIGHLIGHTS:

- Energy Efficient Performance
- High Surge Protection
- B22 and E27 Cap Options
- Multiple Wattages Available
- Ideal for Home Use

WATTS	COLOR TEMP	BASE CAP	LM/W*	MRP ₹	CASE LOT
3W	CW/WW	B22/E27	105	150	100
5W	CW/WW	B22/E27	105	150	100
7W	CW/WW	B22/E27	105	160	100
9W	CW/WW	B22/E27	105	180	100
NEW 9W	CW-NW-WW (3 in 1)	B22	100	299	30
12W	CW/WW	B22/E27	105	260	50
15W	CW/WW	B22	105	300	50
18W	CW/WW	B22	105	400	20
23W	CW/WW	B22	105	500	20

*6500K:CW

AVAILABLE VARIANTS:



 **15k**
Working Hours

 **180°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **4kV**
Surge Protection



AELIUS LED T-LAMP

Watt: 15W, 18W, 20W, 23W, 30W, 40W, 50W,
60W | Colors: Cool White, Warm White



1 YEAR
WARRANTY

Aelius LED T-LAMP delivers higher brightness with energy savings. Designed with high surge protection and available in B22 cap, it comes in multiple wattage options, making it ideal for bright and efficient home or commercial lighting.

HIGHLIGHTS:

- High Brightness, Low Energy Consumption
- B22 Cap Compatibility
- High Surge Protection
- Available in Multiple Wattages
- Ideal for Home, Shop Floors, and Offices

WATTS	COLOR TEMP	BASE CAP	LM/W*	MRP ₹	CASE LOT
15W	CW/WW	B22	105	350	20
18W	CW/WW	B22	105	425	20
20W	CW/WW	B22	105	500	20
23W	CW/WW	B22	105	600	20
30W	CW/WW	B22	105	750	10
40W	CW/WW	B22	100	900	10
50W	CW/WW	B22	100	1050	10
60W	CW/WW	B22	100	1200	6

*6500K:CW

AVAILABLE VARIANTS:



 **15k**
Working Hours

 **180°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **4kV**
Surge Protection



AELIUS DIMMABLE EMERGENCY LED BULB

Watt: 9W, 10W, 12W | Colors: Cool White



1 YEAR
WARRANTY

Aelius Dimmable Emergency LED Bulb offers up to 4 hours of backup lighting during power cuts. It auto-charges when powered and provides bright, wide-spread illumination. Ideal for uninterrupted light in homes, offices, and emergency setups.

HIGHLIGHTS:

- Up To 4 Hours of Backup
- Auto-charging During Power
- Activates Instantly During Outages
- Dimmable Brightness
- Wide and Even Light Distribution

 **8-10 Hrs**
Charging Time

 **upto 4 Hrs**
Battery Backup

	WATTS	COLOR TEMP	BASE CAP	LM/W*	MRP ₹	CASE LOT
NEW	9W	CW	B22	100	425	30
	9W R60	CW	B22	100	499	30
	9W A70	CW	B22	100	545	20
NEW	10W	CW	B22	100	525	30
	12W	CW	B22	100	645	20
	15W	CW	B22	100	995	20
	18W / 20W	CW	B22	100	1195	20

*6500K:CW

AVAILABLE VARIANTS:



 **15k**
Working Hours

 **150°**
Beam Angle

 **>80**
CRI

 **>0.9**
Power Factor

 **4kV**
Surge Protection



NXT-G LED CANDLE BULB

Watt: 4.5W | Colors: Warm White



1 YEAR
WARRANTY

The NXT-G LED Candle Bulb offers bright, wide light coverage, ideal for chandeliers, table lamps, and decorative fixtures. Available in E14 and E27 caps with warm white light to create a cozy, inviting atmosphere.

HIGHLIGHTS:

- Elegant Candle-shaped Design
- Bright and Wide Light Spread
- Available in E14 & E27 Bases
- Ideal for Modern and Decorative Fixtures
- Warm White for a Cozy Ambience

WATTS	COLOR TEMP	HOLDER TYPE	DIMENSIONS RD/SQ LxWxH (mm)	LM/W*	MRP ₹	CASE LOT
4.5W	WW	E14	35 x 103	90	195	50
4.5W	WW	E27	35 x 104	90	195	50

*6500K:CW

AVAILABLE VARIANTS:



E27



E14



15k
Working Hours



NA
Beam Angle



>80
CRI



>0.9
Power Factor



4kV
Surge Protection

NEW
LAUNCH

TINY GLO LED PLUG IN LAMP

Watt: 0.5W | Colors: Warm White, Natural White, Red, Green, Ice Blue, Pink, Purple, Amber



VARIETY OF
COLORS

1 YEAR
WARRANTY

The Tiny Glo LED Plug-in Lamp is a compact yet elegant lighting solution designed to create a calm and inviting ambience. Consuming only 0.5W, it offers soft, glare-free illumination that's perfect for bedrooms, hallways, living rooms, or kids' spaces. Its plug-and-play design ensures effortless installation - no wiring or batteries required - while vibrant color options let you personalize your space to suit your mood or décor. With its sleek design and energy-efficient performance, it's the perfect blend of style, comfort, and convenience for any home.

HIGHLIGHTS:

- Ultra-low 0.5W Power Consumption
- Available in a Range of Vibrant Colors
- Compact Design with Easy Plug & Play Use
- Ideal for Night-time or Ambient Lighting

WATTS	COLOR TEMP	Base Cap	MRP ₹	CASE LOT
0.5W	CW/WW/NW/RD/GR/ ICE BL/BL/PN/PU/AM	2 pin plug	190	48

AVAILABLE COLORS:



Warm White



Natural White



Cool White



Red



Pink



Blue



Green



Ice Blue



Amber



Purple



25k

Working Hours



120°

Beam Angle



>80

CRI



≥0.9

Power Factor



4kV

Surge Protection



AELIUS LED DECO LAMP

Watt: 0.5W | Colors: Cool White, Warm White, Red, Yellow, Blue, Green, Pink, Orange



Aelius LED Deco Lamp consumes just 0.5W, perfect for mood or decorative lighting. Available in multiple vibrant colors, it offers energy efficiency, easy installation, and long-lasting brightness for bedrooms, living spaces, or festive décor.

HIGHLIGHTS:

- Ultra-low 0.5W Power Consumption
- Vibrant Color Options

AVAILABLE COLORS:



Red



Yellow



Orange



Pink



Green



Blue



Cool White



Warm White



10

Working Years



180°

Beam Angle



>80

CRI



>0.9

Power Factor



4kV

Surge Protection

WATTS	COLOR TEMP	BASE CAP	MRP ₹	CASE LOT
0.5W	CW/WW/RE/Y/BL/GN/PN/OG	B22	50	48

*6500K:CW



PROFESSIONAL LIGHTS



CITISHINE NEO

Watt: 72W, 90W, 120W, 150W



2 YEARS
WARRANTY

Citishine Neo delivers sustainable, long-lasting city lighting with dual optics, robust heat management, and 50,000-hour life enhancing safety, reducing accidents, and minimizing maintenance.

HIGHLIGHTS:

- Efficient, Sustainable Street Lighting Solution
- Dual Optics for Uniform Light Distribution
- Enhances Night-time Safety and Security
- Die-cast Aluminum Body with Superior Heat Dissipation
- 50,000 Br Hrs. Lifespan with Low Maintenance



WATTS	CCT	Rated Voltage	Driver Frequency	Total Weight (Approx)	Dimension (mm)			Case Lot
					A	B	C(DIA)	
72W	5700K	220V – 240V	50Hz ± 2%	1 kg	405	163	62	1
90W	5700K	220V – 240V	50Hz ± 2%	2 kg	410	180	75	1
120W	5700K	220V – 240V	50Hz ± 2%	4 kg	429	200	75	1
150W	5700K	220V – 240V	50Hz ± 2%	4 kg	430	202	100	1

 **50k**
Working Hours

 **135°**
Beam Angle

 **≥70**
CRI

 **>0.95**
Power Factor

 **4kV** (Internal) & **10kV** (External)
Surge Protection

 **120 Lm/W**
Lumens

ECO LED FLOOD LIGHT

Watt: 60W, 80W, 100W, 120W, 150W, 200W




2 YEARS
WARRANTY

Polycab's Eco LED Flood Light delivers bright, energy-efficient illumination with durable design and reliable safety - ideal for industrial sites and expansive outdoor spaces.

HIGHLIGHTS:

- Energy-efficient & Sustainable
- Durable & Weather-resistant
- Optimized Light Distribution
- Safety & Reliability



WATTS	CCT	Rated Voltage	Driver Frequency	Total Weight (Approx)	Dimension (mm)			Case Lot
					A	B	C(DIA)	
60W	5700K	220V - 240V	50Hz ± 2%	1 kg	231	195	57	1
80W	5700K	220V - 240V	50Hz ± 2%	1 kg	231	195	57	1
100W	5700K	220V - 240V	50Hz ± 2%	2 kg	296	250	43	1
120W	5700K	220V - 240V	50Hz ± 2%	2 kg	296	250	43	1
150W	5700K	220V - 240V	50Hz ± 2%	2 kg	320	238	54	1
200W	5700K	220V - 240V	50Hz ± 2%	3 kg	387	288	55	1

 **50k**
Working Hours

 **120°**
Beam Angle

 **≥80**
CRI

 **>0.95**
Power Factor

 **4kV** (Internal) & **10kV** (External)
Surge Protection

 **120 Lm/W**
Lumens



LINEAR PROFILE (SUSPENDED)

Watt: 28W, 36W, 56W




2 YEARS
WARRANTY

Polycab's suspended linear profile lights bring elegance and clarity to modern interiors. With sleek design, seamless glow, and customizable forms, they create sophisticated spaces that balance style and function effortlessly.

HIGHLIGHTS:

- Modern Aesthetics
- Customizable Designs:
- Flexible Formations
- Uniform Light Distribution
- Adjustable Suspension System



WATTS	CCT	Rated Voltage	Driver Frequency	Case Lot
28W	5700K	220V – 240V	50Hz ± 2%	1
28W	4000K	220V – 240V	50Hz ± 2%	1
36W	5700K	220V – 240V	50Hz ± 2%	1
36W	4000K	220V – 240V	50Hz ± 2%	1
56W	5700K	220V – 240V	50Hz ± 2%	1
56W	4000K	220V – 240V	50Hz ± 2%	1

 **50k**
Working Hours

 **120°**
Beam Angle

 **≥80**
CRI

 **>0.95**
Power Factor

 **4kV** (In-built)
Surge Protection

 **110 Lm/W**
Lumens

LINEAR PROFILE (RECESS)

Watt: 28W, 36W, 56W




2 YEARS
WARRANTY

Polycab's recessed Linear Profile lighting blends seamlessly into ceilings, offering sleek design, reliable performance, and effortless installation for modern interiors.

HIGHLIGHTS:

- Flush Design
- Customizable Solution
- Eoe Connectivity
- Premium Finish
- Easy Installation & Maintenance



WATTS	CCT	Rated Voltage	Driver Frequency	Case Lot
28W	5700K	220V – 240V	50Hz ± 2%	1
28W	4000K	220V – 240V	50Hz ± 2%	1
36W	5700K	220V – 240V	50Hz ± 2%	1
36W	4000K	220V – 240V	50Hz ± 2%	1
56W	5700K	220V – 240V	50Hz ± 2%	1
56W	4000K	220V – 240V	50Hz ± 2%	1

 **50k**
Working Hours

 **120°**
Beam Angle

 **≥80**
CRI

 **>0.95**
Power Factor


 **4kV** (In-built)
Surge Protection

 **110 Lm/W**
Lumens



INDECO NEO LED HIGHBAY

Watt: 80W, 100W, 120W, 150, 200W



2 YEARS
WARRANTY

Polycab's Indeco Neo LED Highbay is built for high-ceiling industrial spaces, delivering powerful, efficient, and reliable illumination. With durability and energy savings, it ensures safety and performance in demanding conditions.

HIGHLIGHTS:

- High Efficiency
- Controlled Glare Optics
- Advanced Thermal Management
- Industrial-grade Durability
- Reliable and Long-lasting



WATTS	CCT	Rated Voltage	Driver Frequency	Total Weight (Approx)	Dimension (mm)		Case Lot
					A	B(DIA)	
80W	6500K	220V – 240V	50Hz ± 2%	1 kg	100	145	1
100W	6500K	220V – 240V	50Hz ± 2%	2 kg	125	230	1
120W	6500K	220V – 240V	50Hz ± 2%	2 kg	125	230	1
150W	6500K	220V – 240V	50Hz ± 2%	3 kg	125	300	1
200W	6500K	220V – 240V	50Hz ± 2%	3 kg	125	330	1

 **50k**
Working Hours

 **65°**
Beam Angle

 **≥70**
CRI

 **>0.95**
Power Factor

 **4kV** (Internal) & **10kV** (External)
Surge Protection

 **110 Lm/W**
Lumens

INDECO MINI LED GLASS

Watt: 30W, 35W, 40W, 45W, 60W, 70W




2 YEARS
WARRANTY

Polycab's Indeco Mini LED Glass delivers durable, efficient lighting for tough industries. Its robust build and superior heat management ensure long-lasting performance with minimal maintenance.

HIGHLIGHTS:

- Superior Light Quality
- Durable Construction
- Easy Installation
- Thermal Efficiency



WATTS	CCT	Rated Voltage	Driver Frequency	Total Weight (Approx)	Dimension (mm)		Case Lot
					A	B(DIA)	
30W	6500K	220V – 240V	50Hz ± 2%	1 kg	110	119	15
35W	6500K	220V – 240V	50Hz ± 2%	1 kg	110	119	15
40W	6500K	220V – 240V	50Hz ± 2%	1 kg	110	119	15
45W	6500K	220V – 240V	50Hz ± 2%	1 kg	110	119	15
60W	6500K	220V – 240V	50Hz ± 2%	1 kg	213	172	2
70W	6500K	220V – 240V	50Hz ± 2%	1 kg	213	172	2



50k

Working Hours



65°

Beam Angle



≥70

CRI



>0.95

Power Factor



4kV (In-built)

Surge Protection




100 Lm/W

Lumens

TIRANGA ROPE

Watt: 10W/mtr



2 YEARS
WARRANTY

Polycab's Tiranga Rope LED Strip brings saffron, green, and white brilliance to any space. Stylish, durable, and efficient, it transforms outdoors with vibrant, eco-friendly illumination.

HIGHLIGHTS:

- Vibrant Tri-color Lighting
- Flexible and Stylish Design
- Durability Guaranteed
- Eco-friendly

WATTS	CCT	Rated Voltage	Driver Frequency	Case Lot
10W/Mtr	Tri Colour Combination	220V – 240V	50Hz ± 2%	1

 **NA**
Working Hours

 **NA**
Beam Angle

 **≥70**
CRI

 **>0.95**
Power Factor

 **NA**
Surge Protection

LED DEEP DRAW 2X2 PANEL

Watt: 36W | Colors: Cool White, Natural White,
Warm White



2 YEARS
WARRANTY

The LED Deep Draw 2x2 Panel delivers bright, even light with a sleek, low-profile build. Designed for seamless grid integration, it suits corporate, retail, healthcare, and institutional spaces with effortless precision.

HIGHLIGHTS:

- Fits Standard 2x2 Ceiling Grids
- Clamp Support for False Ceilings
- Uniform & Bright Light Distribution
- Ideal for Offices, Retail & Institutions
- Slim Design for Various Ceiling Depths
- Sleek & Modern Visual Appeal



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
36W (With Clamps)	CW/NW/WW	Ø595x595x35	Ø580x580	100	3450	4
36W (Without Clamps)	CW/NW/WW	Ø595x595x35	Ø580x580	100	3450	2

*6500K:CW

 **20k**
Working Hours

 **120°**
Beam Angle

 **>80**
CRI

 **≥0.9**
Power Factor

 **4kV**
Surge Protection



CYLINDRICAL SHAPE (LED BOLLARD)

Watt: 12W




2 YEARS
WARRANTY

Sleek and durable, this landscape light enhances outdoor spaces with reliable illumination, smooth curves, and customizable options – perfect for residential and commercial landscapes.

HIGHLIGHTS:

- 360° Illumination
- Engineered for Durability
- Wide Application Appeal
- Customizable Options



WATTS	CCT	Rated Voltage	Driver Frequency	Case Lot
12W	3000K	220V – 240V	50Hz ± 2%	2
12W	6500K	220V – 240V	50Hz ± 2%	2

30k
Working Hours

360°
Beam Angle

≥70
CRI

>0.95
Power Factor

4kV (In-built)
Surge Protection

70 Lm/W
Lumens



CONE SHAPE (LED BOLLARD)

Watt: 10W



A sleek, modern lighting solution with a distinctive conical form, designed to integrate effortlessly into outdoor spaces while elevating functionality and aesthetics across landscaping and architectural applications.

HIGHLIGHTS:

- Focused Illumination
- Engineered for Durability
- Wide Application Appeal
- Customizable Options



WATTS	CCT	Rated Voltage	Driver Frequency	Case Lot
10W	3000K	220V – 240V	50Hz ± 2%	2
10W	6500K	220V – 240V	50Hz ± 2%	2

50k
Working Hours

360°
Beam Angle

≥70
CRI

>0.95
Power Factor

4kV (In-built)
Surge Protection

EXPLORE THE
POLYCARB UNIVERSE,
BEYOND LIGHTING



POLYCAB

FANS

Powered by BLDC Technology

Polycab offers a diverse range of high-performance fans, including ceiling, table, pedestal, wall, exhaust, and farrata fans, all manufactured in state-of-the-art facilities. Designed to exceed global standards, Polycab fans ensure superior quality, durability, and performance.

It delivers exceptional value by combining energy efficiency, high performance, and stylish design. Powered by BLDC technology. With sleek, modern designs and multiple colour options, these fans reduce costs, enhance comfort, and elevate your space.



Up to 50%
Energy Savings*



25% More
Air Delivery



30+
Colour Options



POLYCAB

SWITCHES

SWITCH^{ON}_{THE} WOW

Polycab redefines modern living with its innovative switch solutions, combining style, safety, and seamless functionality. With an extensive collection under three distinct ranges - Etira, Fabelle, and Levana - Polycab offers switches designed to elevate every space. Whether it's the minimalistic elegance or the luxurious appeal, the range embodies superior craftsmanship, durability, and aesthetic finesse. Built with cutting-edge technology and premium materials, Polycab switches ensure reliability, long life, and a refined touch to any interior. Designed for modern homes and commercial spaces, they blend sophistication with performance, making every interaction effortless and enhancing everyday living.

ANY COLOR, ONE PRICE*



Assured
Safety



Soft Click
Switches



1 Lac+
Clicks



Aesthetically
Designed



Precision
Engineering



Vertical & Horizontal
Orientation

POLYCAB

SWITCHGEARS

Assurance of a Safe Life

Polycab Switchgear embodies a commitment to safety, reliability, and innovation, ensuring seamless electrical protection for homes, businesses, and industries. With a diverse portfolio of meticulously engineered solutions - including MCBs, RCCBs, Isolators, and Distribution Boards - Polycab safeguards electrical circuits against overloads, short circuits, and leakages. Designed for effortless installation and robust performance, each product is rigorously tested beyond industry standards to deliver uncompromised safety and longevity. Whether for residential, commercial, or industrial applications, Polycab Switchgear blends precision with peace of mind, reinforcing its promise of quality and protection in every connection.



*on 10kA series



High
Durability &
Assured
Safety



Flame
Retardant
Body



POLYCAB

WIRES

Your Connection to a Safer Future

Polycab Wires are designed for exceptional durability and safety, setting the standard for electrical wiring. With a commitment to innovation and quality, Polycab ensures long-lasting performance, making it the preferred choice across residential, commercial, and industrial sectors. The brand offers products under names like Polycab Green Wires+, PolycabSuprema with E-Beam Technology, PolycabOptima+, PolycabPrimma, and Etira by Polycab, each guaranteeing superior safety, eco-friendliness, and durability compared to standard wires.



Superior Quality
Materials



Enhanced Safety
Features






Long-Lasting
Performance



Global Compliance



India's 1st GreenPro
Certified House Wires.



POLYCAB

India's Safe, Happy Connection

Corporate Office

POLYCAB INDIA LIMITED

#29, The Ruby, 21st Floor, Senapati Bapat Marg, Tulsi Pipe Road,
Dadar (West), Mumbai - 400 028, Maharashtra (India)

Phone

+91-22-2432 7070/
4, 6735 1400

Toll-free No

1800 267 0008

WhatsApp

+91 73044 85540

Website

www.polycab.com

Sales Enquiry

enquiry@polycab.com

Customer Service

customercare@polycab.com



Scan here to download
digital catalogue

Disclaimer - Product Images are for representation purposes only. While every effort has been taken to ensure that all product descriptions, specifications and images are correct, this catalogue should not be considered as the ultimate guide due to variables in production process. As per standard specifications IS 374 & IS 302, there can be tolerance of 10% on Wattage and Speed.

*Visit www.polycab.com for claim details